

ANTEMASURATOARE – CC0651

Constructii rezistenta copertina metalica

1 TSC02C1

-----	rotund: 100 mc	56,50
R	Sapatura cu excavat. pe pneuri 0,21-0,39 mc pamant umidit. nat. desc aut. ter. Cat 1 1,50 x 2,80 x 2,80 x 6 = 70,56 mc	
	0,8 x 70,56 = 56,44 mc – mecanic = 56,50 mc	
	0,2 x 70,56 = 14,11 mc – maual = 14,20 mc	

2 TSA02F1

-----	rotund: mc	14,20
R	Sap. Man. In spatii limit. Sub 1 m cu taluz vert. Nespr. In pam. Coez. Mij. si f. Coez adanc. 1,5m t. Tare 0,2 x 70,56 = 14,11 mc – maual = 14,20 mc	

3 TRB01C14

-----	rotund: T	25,60
R	Transportul materialelor cu roaba pe pneuri inc aruncare desc rasturnare grup 1-3 distanta 40m - Sapatura manuala 14,20 x 1,80 = 25,56	

4 TRI1AA01C1

-----	rotund: T	46,10
R	Incarcarea materialelor grupa a-grele si marunte prin aruncare rampa sau teren –auto categ. 1 - 25,60 x 1,80 = 46,08	

5 TRA01A10P

-----	rotund: T	127,30
R	Transportul rutier al pamantului sau molozeului cu autobasculanta dist.=10 km	
	TRI1AA01C1	25,60
	TSC02C1 56,50 mc x 1,80 to/mc =	<u>101,70</u>
	Total	127,30

6 TSD16B1

-----	rotund: mc	7,80
R	Trat de repart. Din balast. Sub prizma de balast. Compact. Cu placa vibr. De 0,7t cu mot. Ard. Int. 10cp $0.90 \times 1,20 \times 1,20 \times 6 = 7,77$	

7 CB10B1

-----	rotund: mp	33,50
R	Cofraje pt. Bet in cuzineti fund pahar si de utilaje simple din pan cu placaj 15mm inclusiv sprijin $0,55 \times 4 \times 6 \times 1,55 = 20,46$ $0,35 \times 4 \times 1,55 \times 6 = \underline{13,02}$ Total 33,48	

8 CZ0301E1

-----	rotund: kg	190
R	Confect. Armat. Fasonare bare pt. Fundatii izol. Continui si radiere in atel. Cent. Pc 52 d=10-16 mm	

9 CC01A1

-----	rotund: kg	600
R	Montare armaturi din otel beton d 18 mm in fundatii izolate cu distantieri din mase plastice	

10 CZ0301D1

-----	rotund: kg	41
R	Confect. Armat. Fasonare bare pt. Fundatii izol. Continui si radiere in atel. Cent. Pc 52 d=6-8 mm	

11 CA06A1

-----	rotund: mc	4,40
R	Turnare beton simplu cu pompa in fundatii la adancime pana la 10m si distante pana la 15 m Fundatii izolate $6 \times 4,70 \times 2,70 \times 0,10 = 4,38$	

12 2100957

-----	rotund: mc	4,50
R	Beton de ciment b 200 stas 3622 $4,40 \times 1,008 = 4,43$	

13 CA07A1

----- rotund: mc 47,00

R Turnare beton armat cu pompa in fundatii la
adancime pana la 10m si distante pana la 15 m

$6 \times 0,70 \times 0,70 \times 0,30 = 0,88$
 $6 \times 2,70 \times 2,70 \times 0,90 = 39,37$
 $6 \times 1,50 \times 1,50 \times 0,50 = \underline{6,75}$
Total 47,00

14 2100969

----- rotund: mc 47,40

R Beton de ciment b 250 stas 3622

$47,00 \times 1,008 = 47,37$

15 CZ0121A1

----- rotund: L 171

R Preparare beton – adaosuri plastifianti

$47,00 \times 0,01 \times 360 = 170,64$

16 TRA06A10

----- rotund: T 129,80

R Transportul rutier al betonului-mortarului cu
autobetoniera dist.=10 km

$4,50 \times 2,40 = 10,80$
 $47,40 \times 2,51 = \underline{118,97}$
Total 129,77

17 YC01

----- rotund: Lei 42000

Diferenta pret-material
Procurare profile HEB 450
 $7000 \text{ kg} \times 6 \text{ lei/kg} = 42\,000 \text{ lei}$

18 CL01A1 asim

----- rotund: T 7,00

R Montarea stalpilor din otel pt hale
Industriale complet asamblati avand 1t
inclusiv

19 YC01		
-----	rotund: Lei	24000
	Diferenta pret-material	
	Procurare grinzi metalice tip peron	
	4000 kg x 6 lei/kg = 24 000 lei	
20 CL04A1 asim		
-----	rotund: T	4,00
R	Montarea stalpilor din otel pt hale	
	Industriale complet asamblati sub 1t	
21 YC01		
-----	rotund: Lei	76200
	Diferenta pret-material	
	Procurare pane metalice tip peron	
	12700 kg x 6 lei/kg = 76 200 lei	
22 CL16B1 asim		
-----	rotund: T	11,00
R	Montarea panelor metalice de 0,1-0,2t	
	montate pe grinzi metalize la silozuri	
	cereale cu h=35-60m	
23 CL21A1 asim		
-----	rotund: kg	2000
R	Montarea confectiilor metalice diverse	
	inglobate in beton	
24 IZD02A1		
-----	rotund: T	24,20
R	Curatirea rugina cu perie sirma a pieselor	
	metalice grinzi zabrele ferme contravanturi	
25 IZD03D1		
-----	rotund: T	24,20
R	Vopsire cu vopsea miniu cu aparat aer	
	comprimat 1 str pe conf si c-tii metal exec	
	din prof gros 8-12 mm	

26 IZD04D1

rotund: T

24,20

R Vopsire cu aparat aer comprimat vopsea ulei
pe conf si c-tii metal prof gros 8-12 mm 2 straturi

27 TRA01A10

rotund: T

38,50

R Transportul rutier al materialelor, semifabricatelor
Cu autobasculanta dist.=10 km

INTOCMIT
Ing. Kiss Brigita

ANTEMASURATOARE – CC0652

Constructii arhitectura copertina metalica

1 CE13A1		
-----	rotund: m	45,0 ml
R	Jghiaburi din tabla zincata de 0,5 mm confectionate pe santier semirotonde cu d=15cm	
2 CE14A1		
-----	rotund: m	16,90
R	Burlane din tabla zincata de 0,5 mm confectionate pe santier semirotonde cu d=15cm 4 buc x 4,22 = 16,88	
3 CE05A1 asim - 100% mat.		
-----	rotund: mp	261,00
R	Invelitori din tabla zincata profilata ondul sau cutata fixate cu suruburi autofiletante	
4 YC01		
-----	rotund: Lei	20880
	Diferenta pret-material	
	Procurare ivelitoare tip Kigspan KS 1000 Top Dek sau similar	
	261 mp x 80 lei/mp = 20 880 lei	
5 CE15G1 asim - 100% mat.		
-----	rotund: mp	142,00
R	Glafuri copertina lat 50-100 lung 2 m carton bitum Atice din panou Kingspan KS 1000 AWP sau similar	
	94,42 ml x (1,10 + 2 x 0,2) = 141,63	
6 YC01		
-----	rotund: Lei	11360
	Diferenta pret-material	

Procurare Atice din panou Kingspan KS 1000 AWP sau similar

142 mp x 80 lei/mp = 11 360 lei

7 TRA01A10

rotund: T

8,00

R Transportul rutier al materialelor, semifabricatelor
 Cu autobasculanta dist.=10 km

INTOCMIT

Arh. Platon Arnold